



Garden State Laboratories, Inc.

Report of Analysis

410 Hillside Ave.
Hillside, NJ 07205

Main Lab
NJDEP Lab Cert. #20044

Jersey Shore Lab
NJDEP Lab Cert. #15037

Lakehurst Lab
NJDEP Lab Cert. #15041

Mathew Klein, M.S., Founder (1916-1996)
Harvey Klein, M.S., Laboratory Director
Jordan B. Klein, B.A., Exec. Vice President
Sharon Ercoliani, B.A. Laboratory Manager

Telephone: 800-273-8901
Email: info@gsllabs.com
Internet: www.gsllabs.com

For: Kohler Academy
1137 Globe Ave.

Mountainside, NJ 07092

Laboratory Director:

Attention: Joe Newhouse

Client Number: KOH05

Report Date: 06/27/2024

Sample ID: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092 - Field Blank

Lab Sample ID: 240618090-01

Site: Collection Date/Time: 06/18/2024 07:15

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	06/24/24 15:06	

Sample ID: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092 - Kitchen 4

Lab Sample ID: 240618090-02

Site: Collection Date/Time: 06/18/2024 07:16

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	0.00347 mg/l	0.015	0.00100	0.00055	20044	06/24/24 15:09	

Sample ID: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092 - KCR 21

Lab Sample ID: 240618090-03

Site: Collection Date/Time: 06/18/2024 07:16

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	06/24/24 15:12	

Sample ID: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092 - KCR 22

Lab Sample ID: 240618090-04

Site: Collection Date/Time: 06/18/2024 07:16

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	06/24/24 15:15	



Garden State Laboratories, Inc.

Sample ID: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092 - KCR 23 Lab Sample ID: 240618090-05

Site: Collection Date/Time: 06/18/2024 07:16

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	0.00173 mg/l	0.015	0.00100	0.00055	20044	06/24/24 15:18	

Sample ID: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092 - CR 2&3 B3 Lab Sample ID: 240618090-06

Site: Collection Date/Time: 06/18/2024 07:29

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	06/24/24 15:21	

Sample ID: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092 - CR 2 WF Lab Sample ID: 240618090-07

Site: Collection Date/Time: 06/18/2024 07:29

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	0.00872 mg/l	0.015	0.00100	0.00055	20044	06/24/24 15:23	

Sample ID: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092 - CR 3 WF Lab Sample ID: 240618090-08

Site: Collection Date/Time: 06/18/2024 07:29

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	0.00367 mg/l	0.015	0.00100	0.00055	20044	06/24/24 15:26	

Sample ID: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092 - CR 4&5 51 Lab Sample ID: 240618090-09

Site: Collection Date/Time: 06/18/2024 07:32

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	06/24/24 15:29	



Garden State Laboratories, Inc.

Sample ID: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092 - CR 4&5 52 Lab Sample ID: 240618090-10

Site: Collection Date/Time: 06/18/2024 07:32

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	06/25/24 11:02	

Sample ID: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092 - Nurse 3 Lab Sample ID: 240618090-11

Site: Collection Date/Time: 06/18/2024 07:08

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	0.00982 mg/l	0.015	0.00100	0.00055	20044	06/25/24 11:05	

Sample ID: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092 - Staff Room 3 Lab Sample ID: 240618090-12

Site: Collection Date/Time: 06/18/2024 07:10

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	06/25/24 11:13	

Sample ID: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092 - CR 8 51 Lab Sample ID: 240618090-13

Site: Collection Date/Time: 06/18/2024 07:35

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	06/25/24 11:16	

Sample ID: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092 - CR 8 52 Lab Sample ID: 240618090-14

Site: Collection Date/Time: 06/18/2024 07:35

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	06/25/24 11:19	



Garden State Laboratories, Inc.

Sample ID: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092 - CR 8 53 Lab Sample ID: 240618090-15

Site: Collection Date/Time: 06/18/2024 07:35

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	06/25/24 11:22	

Sample ID: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092 - Foff WB 1 Lab Sample ID: 240618090-16

Site: Collection Date/Time: 06/18/2024 07:12

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	06/25/24 11:25	

Sample ID: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092 - Foff WB 2 Lab Sample ID: 240618090-17

Site: Collection Date/Time: 06/18/2024 07:12

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	06/25/24 11:33	

Sample ID: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092 - Kitchen 1 Lab Sample ID: 240618090-18

Site: Collection Date/Time: 06/18/2024 07:15

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	0.00136 mg/l	0.015	0.00100	0.00055	20044	06/25/24 11:36	

Sample ID: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092 - Kitchen 2 Lab Sample ID: 240618090-19

Site: Collection Date/Time: 06/18/2024 07:15

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	0.00448 mg/l	0.015	0.00100	0.00055	20044	06/25/24 11:39	



Garden State Laboratories, Inc.

Sample ID: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092 - Kitchen 3 Lab Sample ID: 240618090-20

Site: Collection Date/Time: 06/18/2024 07:15

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	0.0117 mg/l	0.015	0.00100	0.00055	20044	06/25/24 11:41	

Sample ID: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092 - CR 1 B1 Lab Sample ID: 240618090-21

Site: Collection Date/Time: 06/18/2024 07:28

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	06/25/24 11:44	

Sample ID: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092 - CR 1 B2 Lab Sample ID: 240618090-22

Site: Collection Date/Time: 06/18/2024 07:28

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	06/25/24 11:47	

Sample ID: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092 - CR 1 WF Lab Sample ID: 240618090-23

Site: Collection Date/Time: 06/18/2024 07:28

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	0.0112 mg/l	0.015	0.00100	0.00055	20044	06/25/24 11:50	

Sample ID: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092 - CR 2&3 B1 Lab Sample ID: 240618090-24

Site: Collection Date/Time: 06/18/2024 07:29

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	06/25/24 11:53	



Garden State Laboratories, Inc.

Sample ID: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092 - CR 2&3 B2 Lab Sample ID: 240618090-25

Site: Collection Date/Time: 06/18/2024 07:29

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	06/25/24 11:56	

Sample ID: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092 - K WB 2 Lab Sample ID: 240618090-26

Site: Collection Date/Time: 06/18/2024 07:18

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	06/25/24 11:58	

Sample ID: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092 - K WB 3 Lab Sample ID: 240618090-27

Site: Collection Date/Time: 06/18/2024 07:18

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	06/25/24 12:10	

Sample ID: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092 - Nurse 1 Lab Sample ID: 240618090-29

Site: Collection Date/Time: 06/18/2024 07:08

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	06/25/24 12:13	

Sample ID: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092 - Nurse 2 Lab Sample ID: 240618090-30

Site: Collection Date/Time: 06/18/2024 07:08

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	0.00931 mg/l	0.015	0.00100	0.00055	20044	06/25/24 12:16	



Garden State Laboratories, Inc.

Sample ID: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092 - CR 8 WF Lab Sample ID: 240618090-31

Site: Collection Date/Time: 06/18/2024 07:35

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	0.00547 mg/l	0.015	0.00100	0.00055	20044	06/25/24 12:21	

Sample ID: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092 - Foff MB 51 Lab Sample ID: 240618090-32

Site: Collection Date/Time: 06/18/2024 07:11

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	06/25/24 12:30	

Sample ID: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092 - Foff MB 52 Lab Sample ID: 240618090-33

Site: Collection Date/Time: 06/18/2024 07:11

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	06/25/24 12:33	

Sample ID: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092 - Staff Room 1 Lab Sample ID: 240618090-34

Site: Collection Date/Time: 06/18/2024 07:10

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	06/25/24 12:35	

Sample ID: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092 - Staff Room 2 Lab Sample ID: 240618090-35

Site: Collection Date/Time: 06/18/2024 07:10

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	06/25/24 12:44	



Garden State Laboratories, Inc.

Sample ID: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092 - Laundry R Lab Sample ID: 240618090-36

Site: Collection Date/Time: 06/18/2024 07:00

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.8		1	0.00332 mg/l	0.015	0.00100	0.00032	20044	06/26/24 15:09	

Sample ID: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092 - Fun tro WB 1 Lab Sample ID: 240618090-37

Site: Collection Date/Time: 06/18/2024 07:01

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	06/25/24 12:47	

Sample ID: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092 - Fun tro WB 2 Lab Sample ID: 240618090-38

Site: Collection Date/Time: 06/18/2024 07:01

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	06/25/24 12:49	

Sample ID: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092 - Fun tro WB 3 Lab Sample ID: 240618090-39

Site: Collection Date/Time: 06/18/2024 07:01

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	0.00268 mg/l	0.015	0.00100	0.00055	20044	06/25/24 12:52	

Sample ID: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092 - Principal Lab Sample ID: 240618090-40

Site: Collection Date/Time: 06/18/2024 07:02

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	0.00418 mg/l	0.015	0.00100	0.00055	20044	06/25/24 12:55	



Garden State Laboratories, Inc.

Sample ID: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092 - Smart Room Lab Sample ID: 240618090-41

Site: Collection Date/Time: 06/18/2024 07:20

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	0.00348 mg/l	0.015	0.00100	0.00055	20044	06/25/24 12:58	

Sample ID: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092 - GBR 1 Lab Sample ID: 240618090-42

Site: Collection Date/Time: 06/18/2024 07:24

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	06/25/24 13:01	

Sample ID: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092 - GBR 2 Lab Sample ID: 240618090-43

Site: Collection Date/Time: 06/18/2024 07:24

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	06/25/24 13:03	

Sample ID: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092 - GBR 3 Lab Sample ID: 240618090-44

Site: Collection Date/Time: 06/18/2024 07:24

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	06/25/24 13:06	

Sample ID: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092 - KWB 1 Lab Sample ID: 240618090-45

Site: Collection Date/Time: 06/18/2024 07:18

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	06/25/24 13:09	



Garden State Laboratories, Inc.

Sample ID: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092 - CR 4&5 53 Lab Sample ID: 240618090-46

Site: Collection Date/Time: 06/18/2024 07:32

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	06/25/24 13:20	

Sample ID: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092 - CR 6&7 51 Lab Sample ID: 240618090-47

Site: Collection Date/Time: 06/18/2024 07:32

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	06/25/24 13:23	

Sample ID: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092 - CR 6&7 52 Lab Sample ID: 240618090-48

Site: Collection Date/Time: 06/18/2024 07:33

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	06/25/24 13:26	

Sample ID: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092 - CR 6&7 53 Lab Sample ID: 240618090-49

Site: Collection Date/Time: 06/18/2024 07:33

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	06/25/24 13:29	

Sample ID: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092 - CR 60T Lab Sample ID: 240618090-50

Site: Collection Date/Time: 06/18/2024 07:33

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	0.00461 mg/l	0.015	0.00100	0.00055	20044	06/25/24 13:35	



Garden State Laboratories, Inc.

Sample ID: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092 - Funtro 1 Lab Sample ID: 240618090-51

Site: Collection Date/Time: 06/18/2024 07:04

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	0.00306 mg/l	0.015	0.00100	0.00055	20044	06/25/24 13:43	

Sample ID: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092 - Funtro 2 Lab Sample ID: 240618090-52

Site: Collection Date/Time: 06/18/2024 07:04

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	0.00191 mg/l	0.015	0.00100	0.00055	20044	06/25/24 13:46	

Sample ID: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092 - Front CR 1 Lab Sample ID: 240618090-53

Site: Collection Date/Time: 06/18/2024 07:06

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	0.00442 mg/l	0.015	0.00100	0.00055	20044	06/25/24 13:55	

Sample ID: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092 - Front CR 2 Lab Sample ID: 240618090-54

Site: Collection Date/Time: 06/18/2024 07:06

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	0.00164 mg/l	0.015	0.00100	0.00055	20044	06/25/24 13:57	

Sample ID: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092 - Front CR 3 Lab Sample ID: 240618090-55

Site: Collection Date/Time: 06/18/2024 07:06

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	0.00250 mg/l	0.015	0.00100	0.00055	20044	06/25/24 14:00	



Garden State Laboratories, Inc.

Sample ID: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092 - K BB Lab Sample ID: 240618090-56

Site: Collection Date/Time: 06/18/2024 07:18

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9		1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	06/25/24 14:03	

DF=Dilution factor; <=less than, MCL=Maximum Contaminant Level, Rep. Limit=Reporting Limit, MDL=Method Detection Limit, SM YR=Standard Methods Publication Year, and NC=Not Certified. The liability of Garden State Laboratories, Inc. for services rendered shall in no event exceed the amount of the invoice. Main Lab certified by NJDEP #20044-TNI, NY Dept. of Health #11550 and PADEP #68-03680.

Garden State Laboratories, Inc.

Main Lab - 410 Hillside Avenue, Hillside NJ 07205 - NJDEP Lab Cert. #20044
Jersey Shore Lab - 54 Main Street, Waretown NJ 08758 - NJDEP Lab Cert. #15037
 Tel. 800-273-8901/908-688-8900 Fax 908-688-8966 www.gslabs.com info@gslabs.com

Office and Drop off Locations

North Jersey Office: 225 Sparta Avenue, Sparta, NJ 07871 Tel. 973-729-1827
 West Jersey Office: 2050 Route 31 North, Glen Gardner, NJ 08826 Tel. 908-537-7414

FOR SAMPLE RECEIVING USE ONLY

DATE/TIME/TEMP. REC'D AT LAB:

6/18/24 11:39 21.34
 NO BOC

Page 1 of 11

GSL CLIENT # **KOH05**

CLIENT INFORMATION (REPORT TO BE SENT TO)

Name: Kohler Academy Contact/Authorized by: Joe Newhouse
 Mailing Address: 1137 Globe Ave. Phone: 609-313-2583
 City/State/Zip: Mountainside, NJ 07092 Email: jnewhouse@decades-cg.com

MICRO #
 CHEM. # **24068090-01-05**
 SAMPLE REC'D BY:

SAMPLE INFORMATION

SAMPLE TYPE: DW
 SAMPLE LOCATION: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092

GSL FIELD SAMPLER/PICK-UP
 PICK-UP AT DROP OFF LOCATION
 DELIVERED BY CLIENT

Grab Comp.	SAMPLE ID	SAMPLE COLLECTION				ANALYSIS REQUIRED (Print Legibly)	CONTAINER INFORMATION				Lab # Extension
		Date	Time	AM	PM		No.	Type*	Size	Pres.*	
X	Field Blank	6-18-24	7:15	✓		Lead (First Draw) 90-01	1	P	250ml	A	
X	Kitchen 4	6-18-24	7:16	✓		Lead (First Draw) 90-02	1	P	250ml	A	
X	KCR 21	6-18-24	7:16	✓		Lead (First Draw) 90-03	1	P	250ml	A	
X	KCR 22	6-18-24	7:16	✓		Lead (First Draw) 90-04	1	P	250ml	A	
X	KCR 23	6-18-24	7:16	✓		Lead (First Draw) 90-05	1	P	250ml	A	

*Container type: P=Plastic G=Glass A=Amber Glass T=Sterile Thio V=Vial Other/Specify: _____
 *Preservation Code: A=Non Preserved B=Sulfuric Acid C=Sodium Hydroxide D=Nitric Acid
 E=Hydrochloric Acid F=Zinc Acetate G=Sodium Ithosulfate H=Ascorbic Acid I=Cooled Other/Specify: _____

SUBCONTRACTED WORK
 SEND TO:
 DATE/TIME:
 METHOD OF SHIPMENT:

TURNAROUND TIME: Standard Rush (IF RUSH REQUESTED) Rush Due by:
 REPORT FORMAT: Standard Report Other/Specify:
 Standard Report + E2 PWSID#:

PAYMENT INFORMATION

Sampling/Pick-up Fee: \$ Composite Fee: \$ Rush Fee: \$ Amount Due: \$ 2700
 Payment Method: Credit Card Type: Check # Other:

Note: **LEAD SAMPLING FOR SCHOOL FACILITY ON PUBLIC WATER**

SAMPLE CUSTODY EXCHANGES MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION
PLEASE PRINT YOUR NAME LEGIBLY, USE FULL LEGAL SIGNATURE, DATE AND TIME

Sampled by (PRINT): **JOSE HIDALGO** Signature: **JOSE HIDALGO** Date/Time: **6-18-24 11:39**
 Client/Client's Representative (PRINT): Signature: Date/Time:
 1. Received/Relinquished by (PRINT): Signature: Date/Time:
 2. Received/Relinquished by (PRINT): Signature: **[Signature]** Date/Time: **6/18/24 11:39**

The liability of Garden State Laboratories, Inc. for services rendered shall in no event exceed the amount of the invoice.
 Main Lab certified by NJ Dept. of Health, NJDEP-TNI, NY Dept. of Health #11550 and PADEP #68-03680

CHAIN OF CUSTODY RECORD - PRESS HARD AND PRINT CLEARLY - USE BALL POINT PEN
 IMPORTANT: PRINTED NAMES & SIGNATURES ARE REQUIRED

Garden State Laboratories, Inc.

Main Lab - 410 Hillside Avenue, Hillside NJ 07205 - NJDEP Lab Cert. #20044
Jersey Shore Lab - 54 Main Street, Waretown NJ 08758 - NJDEP Lab Cert. #15037
 Tel. 800-273-8901/908-688-8900 Fax 908-688-8966 www.gslabs.com info@gslabs.com

Office and Drop off Locations

North Jersey Office: 225 Sparta Avenue, Sparta, NJ 07871 Tel. 973-729-1827
 West Jersey Office: 2050 Route 31 North, Glen Gardner, NJ 08826 Tel. 908-537-7414

FOR SAMPLE RECEIVING USE ONLY

DATE/TIME/TEMP. REC'D AT LAB:

6/18/24 11:39 21.3
 NO BOC

Page 2 of 11

GSL CLIENT # KOH05

CLIENT INFORMATION (REPORT TO BE SENT TO)

Name: Kohler Academy Contact/Authorized by: Joe Newhouse
 Mailing Address: 1137 Globe Ave. Phone: 609-313-2583
 City/State/Zip: Mountainside, NJ 07092 Email: jnewhouse@decades-cg.com

MICRO #
 CHEM. # 2406180910-06-10

SAMPLE REC'D BY:

- GSL FIELD SAMPLER/PICK-UP
 PICK-UP AT DROP OFF LOCATION
 DELIVERED BY CLIENT

SAMPLE INFORMATION

SAMPLE TYPE: DW
 SAMPLE LOCATION: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092

Grab	Comp.	SAMPLE ID	SAMPLE COLLECTION				ANALYSIS REQUIRED (Print Legibly)	CONTAINER INFORMATION				Lab # Extension
			Date	Time	AM	PM		No.	Type*	Size	Pres.*	
X		CR2&3 B3	6-18-24	7:29	✓		Lead (First Draw) 90-06	1	P	250ml	A	
X		CR2 WF	6-18-24	7:29	✓		Lead (First Draw) 90-07	1	P	250ml	A	
X		CR3 WF	6-18-24	7:29	✓		Lead (First Draw) 90-08	1	P	250ml	A	
X		CR4&5 S1	6-18-24	7:32	✓		Lead (First Draw) 90-09	1	P	250ml	A	
X		CR4&5 S2	6-18-24	7:32	✓		Lead (First Draw) 90-10	1	P	250ml	A	

*Container type: P=Plastic G=Glass A=Amber Glass T=Sterile Thio V=Vial Other/Specify: _____
 *Preservation Code: A=Non Preserved B=Sulfuric Acid C=Sodium Hydroxide D=Nitric Acid
 E=Hydrochloric Acid F=Zinc Acetate G=Sodium Iminosulfate H=Ascorbic Acid I=Cooled Other/Specify: _____

SUBCONTRACTED WORK

TURNAROUND TIME: Standard Rush (if RUSH REQUESTED) Rush Due by:

SEND TO:

REPORT FORMAT: Standard Report Other/Specify:

DATE/TIME:

Standard Report + E2 PWSID#:

METHOD OF SHIPMENT:

PAYMENT INFORMATION

Sampling/Pick-up Fee: \$ Composite Fee: \$ Rush Fee: \$ Amount Due: \$ seeP1

Payment Method: Credit Card Type: Check # Other:

Note:

LEAD SAMPLING FOR SCHOOL FACILITY ON PUBLIC WATER

SAMPLE CUSTODY EXCHANGES MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION
PLEASE PRINT YOUR NAME LEGIBLY, USE FULL LEGAL SIGNATURE, DATE AND TIME

Sampled by (PRINT): JOSE HIDALGO	Signature: JOSE HIDALGO	6-18-24	11:39
Client/Client's Representative (PRINT):	Signature:	Date/Time:	
1. Received/Relinquished by (PRINT):	Signature:	Date/Time:	
2. Received/Relinquished by (PRINT):	Signature:	Date/Time: 6/18/24 11:39	

CHAIN OF CUSTODY RECORD - PRESS HARD AND PRINT CLEARLY - USE BALL POINT PEN

IMPORTANT: PRINTED NAMES & SIGNATURES ARE REQUIRED

Garden State Laboratories, Inc.

Main Lab - 410 Hillside Avenue, Hillside NJ 07205 - NJDEP Lab Cert. #20044
Jersey Shore Lab - 54 Main Street, Waretown NJ 08758 - NJDEP Lab Cert. #15037
 Tel. 800-273-8901/908-688-8900 Fax 908-688-8966 www.gslabs.com info@gslabs.com

FOR SAMPLE RECEIVING USE ONLY

DATE/TIME/TEMP. REC'D AT LAB:

6/18/24 11:39 21.3
 110400

Page 3 of 11

Office and Drop off Locations

North Jersey Office: 225 Sparta Avenue, Sparta, NJ 07871 Tel. 973-729-1827
 West Jersey Office: 2050 Route 31 North, Glen Gardner, NJ 08826 Tel. 908-537-7414

GSL CLIENT # **KOH05**

CLIENT INFORMATION (REPORT TO BE SENT TO)

Name: Kohler Academy Contact/Authorized by: Joe Newhouse
 Mailing Address: 1137 Globe Ave. Phone: 609-313-2583
 City/State/Zip: Mountainside, NJ 07092 Email: jnewhouse@decades-cg.com

MICRO #
 CHEM # **210618090-11-15**

SAMPLE REC'D BY:

- GSL FIELD SAMPLER/PICK-UP
 PICK-UP AT DROP OFF LOCATION
 DELIVERED BY CLIENT

SAMPLE INFORMATION

SAMPLE TYPE: DW
 SAMPLE LOCATION: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092

Grab	Comp	SAMPLE ID	SAMPLE COLLECTION				ANALYSIS REQUIRED (Print Legibly)	CONTAINER INFORMATION				Lab # Extension
			Date	Time	AM	PM		No.	Type*	Size	Pres.*	
X		NURSE 3	6-18-24	7:08	✓		Lead (First Draw) 90-11	1	P	250ml	A	
X		Staff Room 3	6-18-24	7:10	✓		Lead (First Draw) 90-12	1	P	250ml	A	
X		CR 8 S1	6-18-24	7:35	✓		Lead (First Draw) 90-13	1	P	250ml	A	
X		CR 8 S2	6-18-24	7:35	✓		Lead (First Draw) 90-14	1	P	250ml	A	
X		CR 8 S3	6-18-24	7:35	✓		Lead (First Draw) 90-15	1	P	250ml	A	

*Container type: P = Plastic G = Glass A = Amber Glass T = Sterile Thio V = Vial Other/Specify: _____
 *Preservation Code: A = Non Preserved B = Sulfuric Acid C = Sodium Hydroxide D = Nitric Acid
 E = Hydrochloric Acid F = Zinc Acetate G = Sodium Iodosulfate H = Ascorbic Acid I = L-cysteine Other/Specify: _____

SUBCONTRACTED WORK

TURNAROUND TIME: Standard Rush (IF RUSH REQUESTED) Rush Due by:

SEND TO:

REPORT FORMAT: Standard Report Other/Specify:

DATE/TIME:

Standard Report + E2 PWSID#:

METHOD OF SHIPMENT:

PAYMENT INFORMATION

Sampling/Pick-up Fee: \$ Composite Fee: \$ Rush Fee: \$ Amount Due: \$ seeP1
 Payment Method: Credit Card Type: Check # Other:

Note: **LEAD SAMPLING FOR SCHOOL FACILITY ON PUBLIC WATER**

SAMPLE CUSTODY EXCHANGES MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION
PLEASE PRINT YOUR NAME LEGIBLY, USE FULL LEGAL SIGNATURE, DATE AND TIME

Sampled by (PRINT): **JOSE HIDALGO** Signature: **JOSE HIDALGO** Date/Time: **6-18-24 11:39**
 Client/Client's Representative (PRINT): _____ Signature: _____ Date/Time: _____
 1. Received/Relinquished by (PRINT): _____ Signature: _____ Date/Time: _____
 2. Received/Relinquished by (PRINT): _____ Signature: _____ Date/Time: **6/18/24 11:39**

CHAIN OF CUSTODY RECORD - PRESS HARD AND PRINT CLEARLY - USE BALL POINT PEN
 IMPORTANT: PRINTED NAMES & SIGNATURES ARE REQUIRED

CHAIN OF CUSTODY RECORD - PRESS HARD AND PRINT CLEARLY - USE BALL POINT PEN

IMPORTANT: PRINTED NAMES & SIGNATURES ARE REQUIRED

Garden State Laboratories, Inc.

Main Lab - 410 Hillside Avenue, Hillside NJ 07205 - NJDEP Lab Cert. #20044
Jersey Shore Lab - 54 Main Street, Waretown NJ 08758 - NJDEP Lab Cert. #15037
 Tel. 800-273-8901/908-688-8900 Fax 908-688-8966 www.gslabs.com info@gslabs.com

Office and Drop off Locations

North Jersey Office: 225 Sparta Avenue, Sparta, NJ 07871 Tel. 973-729-1827
 West Jersey Office: 2050 Route 31 North, Glen Gardner, NJ 08826 Tel. 908-537-7414

FOR SAMPLE RECEIVING USE ONLY

DATE/TIME/TEMP. REC'D AT LAB:

6/18/24 11:39 21.3L
NOFOL

Page 4 of 11

GSL CLIENT # KOH05

MICRO #

CHEM. # 240618090-16-20

SAMPLE REC'D BY:

GSL FIELD SAMPLER/PICK-UP

PICK-UP AT DROP OFF LOCATION

DELIVERED BY CLIENT

CLIENT INFORMATION (REPORT TO BE SENT TO)

Name: Kohler Academy Contact/Authorized by: Joe Newhouse
 Mailing Address: 1137 Globe Ave. Phone: 609-313-2583
 City/State/Zip: Mountainside, NJ 07092 Email: jnewhouse@decades-cg.com

SAMPLE INFORMATION

SAMPLE TYPE: DW
 SAMPLE LOCATION: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092

Grab	Comp	SAMPLE ID	SAMPLE COLLECTION				ANALYSIS REQUIRED (Print Legibly)	CONTAINER INFORMATION				Lab # Extension
			Date	Time	AM	PM		No.	Type*	Size	Pres.*	
X		Foff WB 1	6-18-24	7:12	✓		Lead (First Draw) 90-16	1	P	250ml	A	
X		Foff WB 2	6-18-24	7:12	✓		Lead (First Draw) 90-17	1	P	250ml	A	
X		Kitchen 1	6-18-24	7:15	✓		Lead (First Draw) 90-18	1	P	250ml	A	
X		Kitchen 2	6-18-24	7:15	✓		Lead (First Draw) 90-19	1	P	250ml	A	
X		Kitchen 3	6-18-24	7:15	✓		Lead (First Draw) 90-20	1	P	250ml	A	

*Container Type: P = Plastic G = Glass A = Amber Glass T = Sterile Thio V = Vial Other/Specify: _____
 *Preservation Code: A = Non Preserved B = Sulfuric Acid C = Sodium Hydroxide D = Nitric Acid
 E = Hydrochloric Acid F = Zinc Acetate G = Sodium Iodosulfate H = Ascorbic Acid I = Cooled Other/Specify: _____

SUBCONTRACTED WORK

TURNAROUND TIME: Standard Rush (IF RUSH REQUESTED) Rush Due by:

SEND TO:

REPORT FORMAT: Standard Report Other/Specify:

DATE/TIME:

Standard Report + E2 PWSID#:

METHOD OF SHIPMENT:

PAYMENT INFORMATION

Sampling/Pick-up Fee: \$ Composite Fee: \$ Rush Fee: \$ Amount Due: \$ see P1
 Payment Method: Credit Card Type: Check # Other:

Note: **LEAD SAMPLING FOR SCHOOL FACILITY ON PUBLIC WATER**

SAMPLE CUSTODY EXCHANGES MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION
PLEASE PRINT YOUR NAME LEGIBLY, USE FULL LEGAL SIGNATURE, DATE AND TIME

Sampled by (PRINT): JOSE HIDALGO	Signature: JOSE HIDALGO	Date/Time: 6-18-24 11:39
Client/Client's Representative (PRINT):	Signature:	Date/Time:
1. Received/Relinquished by (PRINT):	Signature:	Date/Time:
2. Received/Relinquished by (PRINT):	Signature:	Date/Time: 6/18/24 11:39

The liability of Garden State Laboratories, Inc. for services rendered shall in no event exceed the amount of the invoice.
 Main Lab certified by NJ Dept. of Health, NJDEP-TN, NY Dept. of Health #11550 and PADEP #68-03680

CHAIN OF CUSTODY RECORD - PRESS HARD AND PRINT CLEARLY - USE BALL POINT PEN

IMPORTANT: PRINTED NAMES & SIGNATURES ARE REQUIRED

Garden State Laboratories, Inc.

Main Lab - 410 Hillside Avenue, Hillside NJ 07205 - NJDEP Lab Cert. #20044
Jersey Shore Lab - 54 Main Street, Waretown NJ 08758 - NJDEP Lab Cert. #15037
 Tel. 800-273-8901/908-688-8900 Fax 908-688-8966 www.gslabs.com info@gslabs.com

Office and Drop off Locations

North Jersey Office: 225 Sparta Avenue, Sparta, NJ 07871 Tel. 973-729-1827
 West Jersey Office: 2050 Route 31 North, Glen Gardner, NJ 08826 Tel. 908-537-7414

FOR SAMPLE RECEIVING USE ONLY

DATE/TIME/TEMP. REC'D AT LAB:

6/18/24 11:39 213L
 110 BOC

Page 5 of 11

GSL CLIENT # **KOH05**

MICRO # **2118124**

CHEM. # **2406180910-20**

SAMPLE REC'D BY: **6/18/24 JH 20-25**

GSL FIELD SAMPLER/PICK-UP **21**

PICK-UP AT DROP OFF LOCATION

DELIVERED BY CLIENT

CLIENT INFORMATION (REPORT TO BE SENT TO)

Name: Kohler Academy Contact/Authorized by: Joe Newhouse
 Mailing Address: 1137 Globe Ave. Phone: 609-313-2583
 City/State/Zip: Mountainside, NJ 07092 Email: jnewhouse@decades-cg.com

SAMPLE INFORMATION

SAMPLE TYPE: DW
 SAMPLE LOCATION: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092

Grab	Comp	SAMPLE ID	SAMPLE COLLECTION				ANALYSIS REQUIRED (Print Legibly)		CONTAINER INFORMATION				Lab # Extension
			Date	Time	AM	PM	<input type="checkbox"/> List attached	Total Pages	No.	Type*	Size	Pres.*	
X		CR1 B1	6-18-24	7:28	✓		Lead (First Draw)	90-21	1	P	250ml	A	
X		CR1 B2	6-18-24	7:28	✓		Lead (First Draw)	90-22	1	P	250ml	A	
X		CR1 WF	6-18-24	7:28	✓		Lead (First Draw)	90-23	1	P	250ml	A	
X		CR2 & 3 B1	6-18-24	7:29	✓		Lead (First Draw)	90-24	1	P	250ml	A	
X		CR2 & 3 B2	6-18-24	7:29	✓		Lead (First Draw)	90-25	1	P	250ml	A	

*Container Type: P = Plastic G = Glass A = Amber Glass T = Sterile Thio V = Vial Other/Specify: _____
 *Preservation Code: A = Non Preserved B = Sulfuric Acid C = Sodium Hydroxide D = Nitric Acid
 E = Hydrochloric Acid F = Zinc Acetate G = Sodium Iodosulfate H = Ascorbic Acid I = Cooled Other/Specify: _____

SUBCONTRACTED WORK

TURNAROUND TIME: Standard Rush (if RUSH REQUESTED) Rush Due by: _____

SEND TO: _____

REPORT FORMAT: Standard Report Other/Specify: _____

DATE/TIME: _____

Standard Report + E2 PWSID#: _____

METHOD OF SHIPMENT: _____

PAYMENT INFORMATION

Sampling/Pick-up Fee: \$ Composite Fee: \$ Rush Fee: \$ Amount Due: \$ see P1
 Payment Method: Credit Card Type: Check # Other: _____

Note: **LEAD SAMPLING FOR SCHOOL FACILITY ON PUBLIC WATER**

**SAMPLE CUSTODY EXCHANGES MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION
 PLEASE PRINT YOUR NAME LEGIBLY, USE FULL LEGAL SIGNATURE, DATE AND TIME**

Sampled by (PRINT): JOSE HIDALGO	Signature: JOSE HIDALGO	Date/Time: 6-18-24 11:39
Client/Client's Representative (PRINT):	Signature:	Date/Time:
1. Received/Relinquished by (PRINT):	Signature:	Date/Time:
2. Received/Relinquished by (PRINT):	Signature:	Date/Time: 6/18/24 11:39

The liability of Garden State Laboratories, Inc. for services rendered shall in no event exceed the amount of the invoice.
 Main Lab certified by NJ Dept. of Health, NJDEP-TN, NY Dept. of Health #11550 and PADEP #68-03680

Garden State Laboratories, Inc.

Main Lab - 410 Hillside Avenue, Hillside NJ 07205 - NJDEP Lab Cert. #20044
Jersey Shore Lab - 54 Main Street, Waretown NJ 08758 - NJDEP Lab Cert. #15037
 Tel. 800-273-8901/908-688-8900 Fax 908-688-8966 www.gslabs.com info@gslabs.com

Office and Drop off Locations

North Jersey Office: 225 Sparta Avenue, Sparta, NJ 07871 Tel. 973-729-1827
 West Jersey Office: 2050 Route 31 North, Glen Gardner, NJ 08826 Tel. 908-537-7414

FOR SAMPLE RECEIVING USE ONLY

DATE/TIME/TEMP. REC'D AT LAB:

6/18/24 11:39 21.31
 NO BOC

Page 6 of 11

GSL CLIENT # KOH05

CLIENT INFORMATION (REPORT TO BE SENT TO)

Name: Kohler Academy Contact/Authorized by: Joe Newhouse
 Mailing Address: 1137 Globe Ave. Phone: 609-313-2583
 City/State/Zip: Mountainside, NJ 07092 Email: jnewhouse@decades-cg.com

MICRO #
 CHEM. # 240618090-26-30
 SAMPLE REC'D BY: 90-56

SAMPLE INFORMATION

SAMPLE TYPE: DW
 SAMPLE LOCATION: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092

GSL FIELD SAMPLER/PICK-UP
 PICK-UP AT DROP OFF LOCATION
 DELIVERED BY CLIENT

Grab	Comp	SAMPLE ID	SAMPLE COLLECTION				ANALYSIS REQUIRED (Print Legibly)	CONTAINER INFORMATION				Lab # Extension
			Date	Time	AM	PM		No.	Type*	Size	Pres.*	
X		KWB 2	6-18-24	7:18	✓		Lead (First Draw) 90-26	1	P	250ml	A	
X		KWB 3	6-18-24	7:18	✓		Lead (First Draw) 90-27	1	P	250ml	A	
X		KBB 90-56	6-18-24	7:18	✓		Lead (First Draw) 90-28 90-28	1	P	250ml	A	
X		NURSE 1	6-18-24	7:08	✓		Lead (First Draw) 90-29	1	P	250ml	A	
X		NURSE 2	6-18-24	7:08	✓		Lead (First Draw) 90-30	1	P	250ml	A	

*Container Type: P = Plastic G = Glass A = Amber Glass T = Sterile Thio V = Vial Other/Specify: _____
 *Preservation Code: A = Non Preserved B = Sulfuric Acid C = Sodium Hydroxide D = Nitric Acid
 E = Hydrochloric Acid F = Zinc Acetate G = Sodium Iminosulfate H = Ascorbic Acid I = Clove Other/Specify: _____

SUBCONTRACTED WORK

TURNAROUND TIME: Standard Rush (if RUSH REQUESTED) Rush Due by:

SEND TO:

REPORT FORMAT: Standard Report Other/Specify:

DATE/TIME:

Standard Report + E2 PWSID#:

METHOD OF SHIPMENT:

PAYMENT INFORMATION

Sampling/Pick-up Fee: \$ Composite Fee: \$ Rush Fee: \$ Amount Due: \$ see P1

Payment Method: Credit Card Type: Check # Other:

Note:

LEAD SAMPLING FOR SCHOOL FACILITY ON PUBLIC WATER Sample for KBB was brought in on 6/20/24

SAMPLE CUSTODY EXCHANGES MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION
PLEASE PRINT YOUR NAME LEGIBLY, USE FULL LEGAL SIGNATURE, DATE AND TIME

Sampled by (PRINT): JOSE HIDALGO	Signature: JOSE HIDALGO	Date/Time: 6-18-24 11:40
Client/Client's Representative (PRINT):	Signature:	Date/Time:
1. Received/Relinquished by (PRINT):	Signature:	Date/Time:
2. Received/Relinquished by (PRINT):	Signature:	Date/Time: 6/18/24 11:34

CHAIN OF CUSTODY RECORD - PRESS HARD AND PRINT CLEARLY - USE BALL POINT PEN

IMPORTANT: PRINTED NAMES & SIGNATURES ARE REQUIRED

Garden State Laboratories, Inc.

Main Lab - 410 Hillside Avenue, Hillside NJ 07205 - NJDEP Lab Cert. #20044
Jersey Shore Lab - 54 Main Street, Waretown NJ 08758 - NJDEP Lab Cert. #15037
 Tel. 800-273-8901/908-688-8900 Fax 908-688-8966 www.gslabs.com info@gslabs.com

Office and Drop off Locations

North Jersey Office: 225 Sparta Avenue, Sparta, NJ 07871 Tel. 973-729-1827
 West Jersey Office: 2050 Route 31 North, Glen Gardner, NJ 08826 Tel. 908-537-7414

FOR SAMPLE RECEIVING USE ONLY

DATE/TIME/TEMP. REC'D AT LAB:

6/18/24 11:39 21.3
 NOFOL

Page 7 of 11

GSL CLIENT # KOH05

CLIENT INFORMATION (REPORT TO BE SENT TO)

Name: Kohler Academy Contact/Authorized by: Joe Newhouse
 Mailing Address: 1137 Globe Ave. Phone: 609-313-2583
 City/State/Zip: Mountainside, NJ 07092 Email: jnewhouse@decades-cg.com

MICRO #
 CHEM. # 240618090-81-85

SAMPLE INFORMATION

SAMPLE TYPE: DW
 SAMPLE LOCATION: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092

SAMPLE REC'D BY:
 GSL FIELD SAMPLER/PICK-UP
 PICK-UP AT DROP OFF LOCATION
 DELIVERED BY CLIENT

Grab	Comp.	SAMPLE ID	SAMPLE COLLECTION				ANALYSIS REQUIRED (Print Legibly)	CONTAINER INFORMATION				Lab # Extension
			Date	Time	AM	PM		No.	Type*	Size	Pres.*	
X		CR & WF	6-18-24	7:35	✓		Lead (First Draw) 90-81	1	P	250ml	A	
X		FOFF MB 51	6-18-24	7:11	✓		Lead (First Draw) 90-82	1	P	250ml	A	
X		FOFF MB 52	6-18-24	7:11	✓		Lead (First Draw) 90-83	1	P	250ml	A	
X		Staff ROOM 1	6-18-24	7:10	✓		Lead (First Draw) 90-84	1	P	250ml	A	
X		Staff ROOM 2	6-18-24	7:10	✓		Lead (First Draw) 90-85	1	P	250ml	A	

*Container Type: P = Plastic G = Glass A = Amber Glass T = Sterile Thio V = Vial Other/Specify: _____
 *Preservation Code: A = Non Preserved B = Sulfuric Acid C = Sodium Hydroxide D = Nitric Acid
 E = Hydrochloric Acid F = Zinc Acetate G = Sodium Inosulfate H = Ascorbic Acid I = Clove Other/Specify: _____

SUBCONTRACTED WORK

TURNAROUND TIME: Standard Rush (if RUSH REQUESTED) Rush Due by:

SEND TO:

REPORT FORMAT: Standard Report Other/Specify:

DATE/TIME:

Standard Report + E2 PWSID#:

METHOD OF SHIPMENT:

PAYMENT INFORMATION

Sampling/Pick-up Fee: \$ Composite Fee: \$ Rush Fee: \$ Amount Due: \$ seeP1
 Payment Method: Credit Card Type: Check # Other:

Note:

LEAD SAMPLING FOR SCHOOL FACILITY ON PUBLIC WATER

SAMPLE CUSTODY EXCHANGES MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION
PLEASE PRINT YOUR NAME LEGIBLY, USE FULL LEGAL SIGNATURE, DATE AND TIME

Sampled by (PRINT): JOSE HIDALGO Signature: Jose Hidalgo Date/Time: 6-18-24 11:39
 Client/Client's Representative (PRINT): Signature: Date/Time:
 1. Received/Relinquished by (PRINT): Signature: Date/Time:
 2. Received/Relinquished by (PRINT): Signature: Date/Time: 6/18/24 11:39

CHAIN OF CUSTODY RECORD - PRESS HARD AND PRINT CLEARLY - USE BALL POINT PEN

IMPORTANT: PRINTED NAMES & SIGNATURES ARE REQUIRED

CHAIN OF CUSTODY RECORD - PRESS HARD AND PRINT CLEARLY - USE BALL POINT PEN

IMPORTANT: PRINTED NAMES & SIGNATURES ARE REQUIRED

Garden State Laboratories, Inc.

Main Lab - 410 Hillside Avenue, Hillside NJ 07205 - NJDEP Lab Cert. #20044
Jersey Shore Lab - 54 Main Street, Waretown NJ 08758 - NJDEP Lab Cert. #15037
 Tel. 800-273-8901/908-688-8900 Fax 908-688-8966 www.gslabs.com info@gslabs.com

Office and Drop off Locations

North Jersey Office: 225 Sparta Avenue, Sparta, NJ 07871 Tel. 973-729-1827
 West Jersey Office: 2050 Route 31 North, Glen Gardner, NJ 08826 Tel. 908-537-7414

FOR SAMPLE RECEIVING USE ONLY

DATE/TIME/TEMP. REC'D AT LAB:

6/18/24 11:39 213c
 N18390

Page 8 of 11

GSL CLIENT # KOH05

MICRO #

CHEM. # 2106180910-36-40

SAMPLE REC'D BY:

GSL FIELD SAMPLER/PICK-UP

PICK-UP AT DROP OFF LOCATION

DELIVERED BY CLIENT

CLIENT INFORMATION (REPORT TO BE SENT TO)

Name: Kohler Academy Contact/Authorized by: Joe Newhouse
 Mailing Address: 1137 Globe Ave. Phone: 609-313-2583
 City/State/Zip: Mountainside, NJ 07092 Email: jnewhouse@decades-cg.com

SAMPLE INFORMATION

SAMPLE TYPE: DW
 SAMPLE LOCATION: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092

Grab Comp.	SAMPLE ID	SAMPLE COLLECTION				ANALYSIS REQUIRED (Print Legibly)	CONTAINER INFORMATION				Lab # Extension
		Date	Time	AM	PM		No.	Type*	Size	Pres.*	
X	Lundry R	6-18-24	7:00	✓		Lead (First Draw) 90-36	1	P	250ml	A	
X	Funtro WB 1	6-18-24	7:01	✓		Lead (First Draw) 90-37	1	P	250ml	A	
X	Funtro WB 2	6-18-24	7:01	✓		Lead (First Draw) 90-38	1	P	250ml	A	
X	Funtro WB 3	6-18-24	7:01	✓		Lead (First Draw) 90-39	1	P	250ml	A	
X	Principal	6-18-24	7:02	✓		Lead (First Draw) 90-40	1	P	250ml	A	

*Container type: P=Plastic G=Glass A=Amber Glass T=Sterile Thio V=Vial Other/Specify: _____
 *Preservation Code: A=Non Preserved B=Sulfuric Acid C=Sodium Hydroxide D=Nitric Acid
 E=Hydrochloric Acid F=Zinc Acetate G=Sodium Inosulfate H=Ascorbic Acid I=Cooled Other/Specify: _____

SUBCONTRACTED WORK

TURNAROUND TIME: Standard Rush (IF RUSH REQUESTED) Rush Due by:

SEND TO:

REPORT FORMAT: Standard Report Other/Specify:

DATE/TIME:

Standard Report + E2 PWSID#:

METHOD OF SHIPMENT:

PAYMENT INFORMATION

Sampling/Pick-up Fee: \$ Composite Fee: \$ Rush Fee: \$ Amount Due: \$ see P1

Payment Method: Credit Card Type: Check # Other:

Note:

LEAD SAMPLING FOR SCHOOL FACILITY ON PUBLIC WATER

SAMPLE CUSTODY EXCHANGES MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION
 PLEASE PRINT YOUR NAME LEGIBLY, USE FULL LEGAL SIGNATURE, DATE AND TIME

Sampled by (PRINT): JOSE HIDALGO	Signature: JOSE HIDALGO	Date/Time: 6-18-24 11:39
Client/Client's Representative (PRINT):	Signature:	Date/Time:
1. Received/Relinquished by (PRINT):	Signature:	Date/Time:
2. Received/Relinquished by (PRINT):	Signature:	Date/Time: 6/18/24 11:39

Garden State Laboratories, Inc.

Main Lab - 410 Hillside Avenue, Hillside NJ 07205 - NJDEP Lab Cert. #20044
Jersey Shore Lab - 54 Main Street, Waretown NJ 08758 - NJDEP Lab Cert. #15037
 Tel. 800-273-8901/908-688-8900 Fax 908-688-8966 www.gslabs.com info@gslabs.com

Office and Drop off Locations

North Jersey Office: 225 Sparta Avenue, Sparta, NJ 07871 Tel. 973-729-1827
 West Jersey Office: 2050 Route 31 North, Glen Gardner, NJ 08826 Tel. 908-537-7414

FOR SAMPLE RECEIVING USE ONLY

DATE/TIME/TEMP. REC'D AT LAB:

6/18/24 11:39 2# 213L
 6/19/24 NOBCK

Page 9 of 11

GSL CLIENT # KOH05

CLIENT INFORMATION (REPORT TO BE SENT TO)

Name: Kohler Academy Contact/Authorized by: Joe Newhouse
 Mailing Address: 1137 Globe Ave. Phone: 609-313-2583
 City/State/Zip: Mountainside, NJ 07092 Email: jnewhouse@decades-cg.com

MICRO #

CHEM. # 240618090-41-45

SAMPLE REC'D BY:

- GSL FIELD SAMPLER/PICK-UP
 PICK-UP AT DROP OFF LOCATION
 DELIVERED BY CLIENT

SAMPLE INFORMATION

SAMPLE TYPE: DW
 SAMPLE LOCATION: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092

Grab	Comp.	SAMPLE ID	SAMPLE COLLECTION				ANALYSIS REQUIRED (Print Legibly)	CONTAINER INFORMATION				Lab # Extension
			Date	Time	AM	PM		No.	Type*	Size	Pres.*	
X		Smart Room	6-18-24	7:20	✓		Lead (First Draw) 90-41	1	P	250ml	A	
X		GBR 1	6-18-24	7:24	✓		Lead (First Draw) 90-42	1	P	250ml	A	
X		GBR 2	6-18-24	7:24	✓		Lead (First Draw) 90-43	1	P	250ml	A	
X		GBR 3	6-18-24	7:24	✓		Lead (First Draw) 90-44	1	P	250ml	A	
X		KWB 1	6-18-24	7:18	✓		Lead (First Draw) 90-45	1	P	250ml	A	

*Container Type: P = Plastic G = Glass A = Amber Glass T = Sterile Thio V = Vial Other/Specify: _____
 *Preservation Code: A = Non Preserved B = Sulfuric Acid C = Sodium Hydroxide D = Nitric Acid
 E = Hydrochloric Acid F = Zinc Acetate G = Sodium Iodide H = Ascorbic Acid I = Clove Other/Specify: _____

SUBCONTRACTED WORK

TURNAROUND TIME: Standard Rush (if RUSH REQUESTED) Rush Due by:

SEND TO:

REPORT FORMAT: Standard Report Other/Specify:

DATE/TIME:

Standard Report + E2 PWSID#:

METHOD OF SHIPMENT:

PAYMENT INFORMATION

Sampling/Pick-up Fee: \$ Composite Fee: \$ Rush Fee: \$ Amount Due: \$ see P1

Payment Method: Credit Card Type: Check # Other:

Note:

LEAD SAMPLING FOR SCHOOL FACILITY ON PUBLIC WATER

SAMPLE CUSTODY EXCHANGES MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION
PLEASE PRINT YOUR NAME LEGIBLY, USE FULL LEGAL SIGNATURE, DATE AND TIME

Sampled by (PRINT): JOSE HIDALGO	Signature: JOSE HIDALGO	Date/Time: 6-18-24 11:39
Client/Client's Representative (PRINT):	Signature:	Date/Time:
1. Received/Relinquished by (PRINT):	Signature:	Date/Time:
2. Received/Relinquished by (PRINT):	Signature:	Date/Time: 6/18/24 11:39

CHAIN OF CUSTODY RECORD - PRESS HARD AND PRINT CLEARLY - USE BALL POINT PEN

IMPORTANT: PRINTED NAMES & SIGNATURES ARE REQUIRED

CHAIN OF CUSTODY RECORD - PRESS HARD AND PRINT CLEARLY - USE BALL POINT PEN

Garden State Laboratories, Inc.

Main Lab - 410 Hillside Avenue, Hillside NJ 07205 - NJDEP Lab Cert. #20044
Jersey Shore Lab - 54 Main Street, Waretown NJ 08758 - NJDEP Lab Cert. #15037
 Tel. 800-273-8901/908-688-8900 Fax 908-688-8966 www.gslabs.com info@gslabs.com

Office and Drop off Locations

North Jersey Office: 225 Sparta Avenue, Sparta, NJ 07871 Tel. 973-729-1827
 West Jersey Office: 2050 Route 31 North, Glen Gardner, NJ 08826 Tel. 908-537-7414

FOR SAMPLE RECEIVING USE ONLY

DATE/TIME/TEMP. REC'D AT LAB:

6/18/24 11:39 24.3C
 110700

Page 10 of 11

GSL CLIENT # KOH05

CLIENT INFORMATION (REPORT TO BE SENT TO)

Name: Kohler Academy Contact/Authorized by: Joe Newhouse
 Mailing Address: 1137 Globe Ave. Phone: 609-313-2583
 City/State/Zip: Mountainside, NJ 07092 Email: jnewhouse@decades-cg.com

MICRO #
 CHEM. # 240618090-46-50

SAMPLE REC'D BY:

- GSL FIELD SAMPLER/PICK-UP
 PICK-UP AT DROP OFF LOCATION
 DELIVERED BY CLIENT

SAMPLE INFORMATION

SAMPLE TYPE: DW
 SAMPLE LOCATION: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092

Grab Comp.	SAMPLE ID	SAMPLE COLLECTION				ANALYSIS REQUIRED (Print Legibly)	CONTAINER INFORMATION				Lab # Extension
		Date	Time	AM	PM		No.	Type*	Size	Pres.*	
X	CR 485 S3	6-18-24	7:32	✓		Lead (First Draw) 90-46	1	P	250ml	A	
X	CR 687 S1	6-18-24	7:32	✓		Lead (First Draw) 90-47	1	P	250ml	A	
X	CR 687 S2	6-18-24	7:33	✓		Lead (First Draw) 90-48	1	P	250ml	A	
X	CR 687 S3	6-18-24	7:33	✓		Lead (First Draw) 90-49	1	P	250ml	A	
X	CR 60T	6-18-24	7:33	✓		Lead (First Draw) 90-50	1	P	250ml	A	

*Container type: P = Plastic G = Glass A = Amber Glass T = Sterile Thio V = Vial Other/Specify: _____
 *Preservation Code: A = Non Preserved B = Sulfuric Acid C = Sodium Hydroxide D = Nitric Acid
 E = Hydrochloric Acid F = Zinc Acetate G = Sodium Iminosulfate H = Ascorbic Acid I = Cooled Other/Specify: _____

SUBCONTRACTED WORK

TURNAROUND TIME: Standard Rush (IF RUSH REQUESTED) Rush Due by:

SEND TO:

REPORT FORMAT: Standard Report Other/Specify:

DATE/TIME:

Standard Report + E2 PWSID#:

METHOD OF SHIPMENT:

PAYMENT INFORMATION

Sampling/Pick-up Fee: \$ Composite Fee: \$ Rush Fee: \$ Amount Due: \$ see P1

Payment Method: Credit Card Type: Check # Other:

Note: **LEAD SAMPLING FOR SCHOOL FACILITY ON PUBLIC WATER**

SAMPLE CUSTODY EXCHANGES MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION
PLEASE PRINT YOUR NAME LEGIBLY, USE FULL LEGAL SIGNATURE, DATE AND TIME

Sampled by (PRINT): JOSE HIDALGO	Signature: JOSE HIDALGO	Date/Time: 6-18-24 11:39
Client/Client's Representative (PRINT):	Signature:	Date/Time:
1. Received/Relinquished by (PRINT):	Signature:	Date/Time:
2. Received/Relinquished by (PRINT):	Signature:	Date/Time: 6/18/24 11:39

CHAIN OF CUSTODY RECORD - PRESS HARD AND PRINT CLEARLY - USE BALL POINT PEN

IMPORTANT: PRINTED NAMES & SIGNATURES ARE REQUIRED

Garden State Laboratories, Inc.

Main Lab - 410 Hillside Avenue, Hillside NJ 07205 - NJDEP Lab Cert. #20044
Jersey Shore Lab - 54 Main Street, Waretown NJ 08758 - NJDEP Lab Cert. #15037
 Tel. 800-273-8901/908-688-8900 Fax 908-688-8966 www.gslabs.com info@gslabs.com

Office and Drop off Locations

North Jersey Office: 225 Sparta Avenue, Sparta, NJ 07871 Tel. 973-729-1827
 West Jersey Office: 2050 Route 31 North, Glen Gardner, NJ 08826 Tel. 908-537-7414

FOR SAMPLE RECEIVING USE ONLY

DATE/TIME/TEMP. REC'D AT LAB:

6/18/24 11:39 2134
 NOB00

Page 11 of 11

GSL CLIENT # KOH05

MICRO #

CHEM. # 240618090-51-55

SAMPLE REC'D BY:

- GSL FIELD SAMPLER/PICK-UP
 PICK-UP AT DROP OFF LOCATION
 DELIVERED BY CLIENT

CLIENT INFORMATION (REPORT TO BE SENT TO)

Name: Kohler Academy Contact/Authorized by: Joe Newhouse
 Mailing Address: 1137 Globe Ave. Phone: 609-313-2583
 City/State/Zip: Mountainside, NJ 07092 Email: jnewhouse@decades-cg.com

SAMPLE INFORMATION

SAMPLE TYPE: DW
 SAMPLE LOCATION: Kohler Academy 1137 Globe Ave., Mountainside, NJ 07092

Grab	Comp	SAMPLE ID	SAMPLE COLLECTION				ANALYSIS REQUIRED (Print Legibly)	CONTAINER INFORMATION				Lab # Extension
			Date	Time	AM	PM		No.	Type*	Size	Pres.*	
X		Funero 1	6-18-24	7:04	✓	Lead (First Draw) 90-51	1	P	250ml	A		
X		Funero 2	6-18-24	7:04	✓	Lead (First Draw) 90-52	1	P	250ml	A		
X		Front CR 1	6-18-24	7:06	✓	Lead (First Draw) 90-53	1	P	250ml	A		
X		Front CR 2	6-18-24	7:06	✓	Lead (First Draw) 90-54	1	P	250ml	A		
X		Front CR 3	6-18-24	7:06	✓	Lead (First Draw) 90-55	1	P	250ml	A		

*Container type: P = Plastic G = Glass A = Amber Glass T = Sterile Thio V = Vial Other/Specify: _____
 *Preservation Code: A = Non Preserved B = Sulfuric Acid C = Sodium Hydroxide D = Nitric Acid
 E = Hydrochloric Acid F = Zinc Acetate G = Sodium Inosulfate H = Ascorbic Acid I = Cooled Other/Specify: _____

SUBCONTRACTED WORK

TURNAROUND TIME: Standard Rush (if RUSH REQUESTED) Rush Due by: _____
 REPORT FORMAT: Standard Report Other/Specify: _____
 Standard Report + E2 PWSID#: _____

SEND TO: _____
 DATE/TIME: _____
 METHOD OF SHIPMENT: _____

PAYMENT INFORMATION

Sampling/Pick-up Fee: \$ Composite Fee: \$ Rush Fee: \$ Amount Due: \$ seeP1
 Payment Method: Credit Card Type: Check # Other:

Note: **LEAD SAMPLING FOR SCHOOL FACILITY ON PUBLIC WATER**

**SAMPLE CUSTODY EXCHANGES MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION
 PLEASE PRINT YOUR NAME LEGIBLY, USE FULL LEGAL SIGNATURE, DATE AND TIME**

Sampled by (PRINT): JOSE HIDALGO	Signature: JOSE HIDALGO	Date/Time: 6-18-24 11:39
Client/Client's Representative (PRINT):	Signature:	Date/Time:
1. Received/Relinquished by (PRINT):	Signature:	Date/Time:
2. Received/Relinquished by (PRINT):	Signature:	Date/Time: 6/18/24 11:39

The liability of Garden State Laboratories, Inc. for services rendered shall in no event exceed the amount of the invoice.
 Main Lab certified by NJ Dept. of Health, NJDEP-TNI, NY Dept. of Health #11550 and PADEP #68-03680